

L Number	Hits	Search Text	DB	Time stamp
1	8	(("4118675") or ("5189676") or ("5255274") or ("5329397") or ("5384799") or ("5724373") or ("5812567") or ("5835512")).PN.	USPAT	2004/04/26 20:05
-	148	372/13.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:14
-	239	372/12.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:15
-	952	372/9.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:19
-	635	(tunable near3 laser) and ((AOTF or (acousto adj2 optic adj3 tunable adj3 filter)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:16
-	18	(tunable near3 laser) and ((AOTF or (acousto adj2 optic adj3 tunable adj3 filter)) and (zeroth near3 order))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:16
-	1303	372/9,12,13.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:19
-	34	372/9,12,13.cccls. and (tunable near3 laser) and ((AOTF or (acousto adj2 optic adj3 tunable adj3 filter)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:19
-	34	372/9,12,13.cccls. and ((tunable near3 laser) and ((AOTF or (acousto adj2 optic adj3 tunable adj3 filter))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:22
-	28	372/9,12,13.cccls. and ((tunable near3 laser) and (AOTF or (acousto adj2 optic adj3 tunable adj3 filter) and (spatial adj3 filter)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:23
-	13	372/9,12,13.cccls. and ((tunable near3 laser) and (AOTF or (acousto adj2 optic adj3 tunable adj3 filter) and (spatial adj3 filter) and (single near3 mode)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:24
-	9	372/9,12,13.cccls. and ((tunable near3 laser) and (AOTF or (acousto adj2 optic adj3 tunable adj3 filter) and (spatial adj3 filter) and (single near3 mode)) and resonator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:24
-	9	372/9,12,13.cccls. and ((tunable near3 laser) and (AOTF or (acousto adj2 optic adj3 tunable adj3 filter) and ((spatial adj3 filter) or SDSF) and (single near3 mode)) and resonator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:24
-	7	372/9,12,13.cccls. and ((tunable near3 laser) and (AOTF or (acousto adj2 optic adj3 tunable adj3 filter) and ((spatial adj3 filter) or SDSF) and (single near3 mode)) and resonator and (tune or tuning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 10:25
-	10	("3531184" "4332441" "4344675" "4448494" "4687958" "4707835" "4736382" "5140599" "5263037" "5883734").PN.	USPAT	2003/07/14 10:25
-	4	("3808549" "4815079" "4829529" "5450427").PN.	USPAT	2003/07/14 10:27
-	2	"2002314194"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/14 11:05

-	25	((threee or "3") adj3 wave adj3 mixing)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/16 15:56
-	148	372/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/16 15:58
-	71	372/13.ccls. and (resonator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/16 15:58
-	7	372/13.ccls. and ("3" adj3 wave)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/16 15:59
-	7	372/13.ccls. and ((three or "3") adj3 wave)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/16 15:59
-	8	(("5905745") or ("6084996") or ("6055262") or ("5712715") or ("5718735") or ("4130813") or ("6577792") or ("6215809")).PN.	USPAT	2003/07/17 16:58
-	1325	372/20.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:18
-	827	372/26.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:18
-	728	372/22.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:19
-	578	372/18.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:19
-	1004	372/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:19
-	876	372/70.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:20
-	322	372/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:20
-	21723	((gain or active) and (single near3 mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:21
-	1005	((gain or active) and (single near3 mode) and (wave near3 guide))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:21
-	393	((gain or active) and (single near3 mode) and (wave near3 guide) and (resonator or resonance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:21
-	196	((gain or active) and (single near3 mode) and (wave near3 guide) and (resonator or resonance) and lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:22
-	276	((gain or active) and (single near3 mode) and (wave near3 guide) and (resonator or resonance) and (lens or mirror))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:22

-	47	((gain or active) and (single near3 mode) and (wave near3 guide) and (resonator or resonance) and (lens or mirror) and (acousto near3 optic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:22
-	31	((gain or active) and (single near3 mode) and (wave near3 guide) and (resonator or resonance) and (lens or mirror) and (acousto near3 optic) and RF)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:23
-	32	((single near3 mode) and (wave near3 guide) and (resonator or resonance) and (lens or mirror) and (acousto near3 optic) and RF)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 19:23
-	14	("3982201" "4231838" "4305778" "4653056" "4688884" "4710940" "4762786" "4763975" "4811349" "5022043" "5060233" "5090019" "5105434" "5159605").PN.	USPAT	2004/04/26 19:07
-	156	372/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 11:46
-	16	372/13.ccls. and ((tunable near3 laser) and resonator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 11:47
-	593	(tunable near3 laser) and (AOTF or (acousto near3 optic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 11:50
-	34	(tunable near3 laser) and (AOTF or (acousto near3 optic)) and ((spatial near3 filter) or SDSF)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 11:54
-	1343	372/20.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 11:58
-	514	372/97.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 11:58
-	521	372/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 11:58
-	872	372/108.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 12:11
-	1802	zeroth near3 order	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 12:11
-	1	(zeroth near3 order) near5 (tune or tunning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 12:13
-	6	(zeroth near3 order) and (AO) and (tune or tunning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/19 12:13
-	2	Laser and (optical adj3 resonator) and (single near3 emission near3 wavelength) and (acousto-optic near3 tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 10:49
-	5	Laser and (optical adj3 resonator) and (wavelength) and (acousto-optic near3 tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 10:49

-	329	laser and (gain near3 medium) and (tunable near5 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:06
-	167	laser and (gain near3 medium) and (tunable near5 filter) and ((single or one) near3 (output or emission or emitting))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:06
-	8	laser and (gain near3 medium) and (tunable near5 filter) and ((single or one) near3 (output or emission or emitting)) and hologram	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:07
-	1	laser and (gain near3 medium) and (tunable near5 filter) and ((single or one) near3 (output or emission or emitting or mode)) and hologram and (three near3 wave near3 mixing)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:07
-	8	laser and (gain near3 medium) and (tunable near5 filter) and ((single or one) near3 (output or emission or emitting or mode)) and hologram	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:16
-	1015	laser and (zeroth near3 order)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:16
-	126	laser and (zeroth near3 order) and (gain and filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:17
-	33	laser and (zeroth near3 order) and (gain and filter) and (resonator or etalon)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:30
-	52	laser and (zeroth near3 order) and (acoustic near3 optic or opto)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:32
-	5	(laser and (zeroth near3 order) and (acoustic near3 optic or opto)) and (spatial near3 filtering)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:38
-	1349	372/20.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 15:11
-	146	372/20.ccls. and (acousto or acoustic near3 optic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:39
-	108	372/20.ccls. and ((acousto or acoustic near3 optic) and filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 14:39
-	42	372/20.ccls. and ((acousto or acoustic near3 optic) and filter and (single near3 mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 15:04
-	84	((acousto or acoustic near3 optic) and (zeroth near3 (beam or output)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 15:05
-	1	372/13.ccls. and (((acousto or acoustic near3 optic) and (zeroth near3 (beam or output))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 15:11
-	1	372/13.ccls. and (zeroth near3 (beam or output))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 15:11

-	156	372/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 15:12
---	-----	--------------	---	------------------

Search History 4/26/04 8:11:41 PM Page 5
C:\APPS\EAST\Workspaces\10 086 283 - tunable laser (AOTF - Acousto Optic Tunable Filter).wsp